

Tematică pentru concursul de admitere la doctorat, anul universitar 2026-2027

Conducător de doctorat: conf. dr. habil. László Zoltán

1. Trophic structure and community diversity of seed predators and herbivores on wild roses (*Rosa* spp.): insights from *Diplolepis*-induced galls and *Megastigmus* seed predation in different ecoregions

Bibliografie:

Kolb, A., Ehrlén, J., & Eriksson, O. (2007). Ecological and evolutionary consequences of spatial and temporal variation in pre-dispersal seed predation. *Perspectives in Plant Ecology, Evolution and Systematics*, 9(2), 79–98. <https://doi.org/10.1016/j.ppees.2007.09.001>

Abe, Y., Melika, G., & Stone, G. N. (2007). The diversity and phylogeography of cynipid gallwasps (Hymenoptera, Cynipidae) of the oriental region. *Oriental Insects*, 41(1), 169–212. <https://doi.org/10.1080/00305316.2007.10417504>

Meiners, T., & Obermaier, E. (2004). Hide and seek on two spatial scales – vegetation structure effects on host plant finding by a specialist herbivore. *Basic and Applied Ecology*, 5(1), 87–94. <https://doi.org/10.1078/1439-1791-00182>

László, Z., Looney, C., Prázsmári, H., Poor, E., Shorthouse, J. D. (2024). The cynipid gall wasp *Diplolepis rosae* is more successful in North America than in Europe because of enemy release. *Insect Conservation and Diversity*, 17, 1–11. <https://doi.org/10.1111/icad.12745>

Sardón-Gutiérrez, S., Gil-Tapetado, D., Gómez, J. F., & Nieves-Aldrey, J. L. (2021). Ecological niche modelling of species of the rose gall wasp *Diplolepis* (Hymenoptera: Cynipidae) on the Iberian Peninsula. *European Journal of Entomology*, 118, 28–38. <https://doi.org/10.14411/eje.2021.004>